

## **EXTERIOR SIDING**

**James Hardie Siding** – *(per plan and elevation) – all pre-primed material (color based on paint schemes)*

- HardiePlank Lap Siding
- HardieShingle Siding
- HardiePanel Vertical Siding
- Hardie Trim Boards


### Applications

- Siding
- Window Trim
- Columns

## **Example Siding Materials**

Z10 8-1/4" 12' Hardie Cedarmil  
Z10 - 4x8 Hardi Cedarmill Pane  
4/4x2.5" 12' Rustic Hardizone  
5/4x3.5" 12' Rustic Hardizone  
5/4x5.5" 12' Rustic Hardizone  
5/4x9.25" 12' Rustic Hardizone  
2x2 R/L Clear Cedar FJ Primed  
2x8 R/L Clear Cedar FJ Primed  
2x3 R/L FJP C/Cedar WindowSill  
1x4 R/L Clear Cedar FJ Primed  
4"x1"x3/8"x1/4" White "Z"  
4"x1-1/4"x3/8"x1/4" White "Z"  
1 x 3 Brown Flashing  
4x2 Brown 5/12 Pitch w/hemmed  
5 x 8 Brown Tin Shingles  
18"X24" Vent Paintable  
Z10- 4x10 Hardi Cedarmill Pane  
1-1/4"x1-1/4" 12' O.S. Corner  
5/4x3.5" 12' Rustic Hardizone

# David Weekley Homes




# Duration<sup>®</sup>

FOR EXCELLENT DURABILITY AND HIDE.



EXTERIOR ACRYLIC COATING



## ONE-COAT CONVENIENCE ON REPAIRS. EXCELLENT RESISTANCE TO PEELING AND BLISTERING.

Duration® Exterior Coating is formulated with PermaLast™ Technology and infused with advanced acrylic co-polymers for long-lasting performance. Duration has a high film build and provides a thick, flexible layer which results in excellent hide and protection from peeling and blistering. And Duration now has a longer open time to easily achieve a smooth appearance.



Duration is self-priming and provides a mildew-resistant coating. It requires just one coat for repaints and two coats for new work so exterior jobs get done fast. Combine that with premium durability, and you'll benefit from a wealth of advantages — saving time and money, minimizing callbacks and repaints.

### DURATION KEY BENEFITS

<ul style="list-style-type: none"> <li>Formulated with PermaLast™ Technology — for more durability and a thicker coat than ordinary latex paints.</li> </ul>	<ul style="list-style-type: none"> <li>Self-priming — use one coat for repaints and two coats for unpainted surfaces.</li> </ul>
<ul style="list-style-type: none"> <li>Excellent protection from cracking, peeling, blistering and dirt pickup.</li> </ul>	<ul style="list-style-type: none"> <li>Meets the most stringent VOC regulations.</li> </ul>
<ul style="list-style-type: none"> <li>Flash rust resistance minimizes nail head rusting and its tannin bleed resistance is better than conventional latex paints.</li> </ul>	<ul style="list-style-type: none"> <li>Available in flat, low lustre, satin and gloss.</li> </ul>
<ul style="list-style-type: none"> <li>Low temperature application down to 35°F.</li> </ul>	<ul style="list-style-type: none"> <li>Can be tinted in VinylSafe® Paint Colors — allowing you the freedom to choose from 100 color options, including a limited selection of darker colors formulated to resist warping or buckling when applied to a sound, stable vinyl substrate. See VinylSafe® color palette for colors that can be used.</li> </ul>



**Backed by a Lifetime Limited Warranty.**

### DURATION IS BROUGHT TO YOU BY A NAME YOU KNOW AND TRUST.

For over 150 years, Sherwin-Williams has provided contractors, builders, property managers, architects and designers with the trusted products they need to build their business and satisfy customers. Duration is just one more way we bring you industry-leading paint technology — innovation you can pass on to your customers.


Plus, with more than 4,200 stores and 2,700 sales representatives across North America, personal service and expertise are always available near jobsites. Find out more about Duration Exterior Latex Paint at your nearest Sherwin-Williams store or, to have a sales representative contact you, call **800-524-5979**.



Sherwin-Williams.com ©2017 The Sherwin-Williams Company #8561233PD 11/17

**WINDOWS – PLYGEM BUILDER SERIES – WHITE**

**BUILDER SERIES**  
WINDOWS



**PERFORMANCE AND VALUE. TOGETHER AT LAST.**

The Ply Gem Windows Builder Series was designed to fit your needs. Every window is a reliable combination of performance and value. They provide you with all the features you've come to expect from Ply Gem Windows – energy efficiency, durability and low maintenance. With their convenient slimline frame depth, you'll not only add style and simplicity, you'll add a whole new level of comfort to any home.



**MATERIAL:**

**COLOR OPTIONS:**



**STYLE OPTIONS**

Single Hung	●	●
Casement	●	●
Awning	●	●
Sliding Window	●	●
Garden	●	●
Fixed	●	●
Architectural Shapes	●	●
Sliding Patio Door	●	●

**STANDARD FEATURES**



**PERFORMANCE OPTIONS**



**HARDWARE FINISH OPTIONS**

White, Beige

**GRILLE OPTIONS**

1/2" Flat GGG, 1/2" or 1" Sculptured GGG



PLY GEM BUILDER SERIES WINDOWS HAVE BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER.  
This means you can be assured that Ply Gem Builder Series windows comply with specific green product criteria in the National Green Building Standard. Visit [www.greenapproved.com](http://www.greenapproved.com) for more details.

- 1. Low-E with argon.
- 2. Optional Solar Control optimized Low-E with argon.
- 3. Available option on windows.
- 4. Optional warm edge spacer system upgrade for increased thermal performance.
- 5. Optional Coastal hardware available on 460 Sliding Patio Door.

NOTE: Colors shown are close approximations and may not be accurate representations for color matching. Please request color swatches from your Ply Gem sales representative to do so.

## ENTRY DOORS – THERMA TRU – SMOOTH STAR S220





### – Features and Literature

#### Features

- Inviting selection of door styles
- Wide choice of glass designs
- On-trend variety of textures
- High-definition panel embossments
- Weather resistance
- Security and durability
- High energy-efficiency R-values

#### Literature

- [Full-Line Catalog](#) 
- [Warranty](#) 





# Amarr Hillcrest

## Value Steel Carriage House Garage Doors




*Rated design with Arched Transoms Decorative in Wicker Tan with Alpine handles*

**Beauty that's more than skin deep.** With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest collection. Value is a beautiful thing.



*Rated Board design with Wagon Wheel Decorative in True White*



**PANEL DESIGNS**



[www.amarr.com](http://www.amarr.com)

# Amarr® Hillcrest

## Construction



### STEEL

#### HI1000

Single-Layer: Steel

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance



#### HI2000

Double-Layer: Steel + Insulation

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation with Vinyl Backing
- Energy Efficient
- Quiet Operation



#### HI3000

Triple-Layer: Steel + Insulation + Steel

- Heavy-duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation

## Specifications

	AMARR HILLCREST HI1000	AMARR HILLCREST HI2000	AMARR HILLCREST HI3000
<b>PANEL DESIGNS</b>			
Bead Board	•	•	•
Long Bead Board	•	•	•
Recessed	•	•	•
Raised	•	•	•
<b>INSULATION<sup>1</sup></b>		Polystyrene	Polystyrene
<b>R-VALUE<sup>2</sup></b>		6.64	9.05
<b>DOOR THICKNESS</b>	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)
<b>STEEL THICKNESS</b>	25 ga	25 ga	27/27 ga
<b>WINDOW GLASS OPTIONS</b>			
3/32" Single Strength	•	•	•
Insulated Glass	•	•	•
Obscure	•	•	•
<b>DECORATIVE HARDWARE OPTIONS</b>	•	•	•
<b>WIND LOAD<sup>3</sup> AVAILABLE</b>	•	•	•
<b>PAINT FINISH WARRANTY<sup>4</sup></b>	15 Years	25 Years	Lifetime
<b>WORKMANSHIP/HARDWARE WARRANTY<sup>5</sup></b>	1 Year	2 Years	3 Years

<sup>1</sup> Insulation has passed wall ignition, flame spread and smoke developed index fire testing.  
<sup>2</sup> Calculated door section R-value in accordance with ASTM E 905, ICI.  
<sup>3</sup> See your responsibility to make sure your garage door meets local building codes.  
<sup>4</sup> For complete warranty details, visit [amarr.com](http://amarr.com) or contact your local Amarr dealer.

## Colors

Amarr steel doors are pre-painted for custom colors, exterior latex paint must be used. Visit [amarr.com](http://amarr.com) for more options on painting. Actual paint colors may vary from samples shown.



<sup>1</sup> Price upcharge applies.


Door specifications and technical data subject to change without notice.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

Entrematic and Amarr® are words and logos are registered trademarks owned by Entrematic Group, LLC or companies within the Entrematic Group.


©Entrematic Group, LLC 2017. All rights reserved. Printed in USA. Form #4790211/2016/1008

## DecraTrim Window Inserts




## DecraGlass™ Windows

Tempered obscure glass with beveled or convex designs.



<sup>1</sup> Clear glass with printed linear pattern.  
<sup>2</sup> Obscure glass with a green tint.

## Decorative Hardware



## ENTREMATI<sup>C</sup>

Entrematic  
 145 Cabbage Court  
 Winston-Salem, NC 27105  
 800.593.DOOR  
[www.amarr.com](http://www.amarr.com)



SEE YOUR LOCAL AMARR DEALER.

**EXTERIOR LIGHTING- STANDARD  
PACKAGE**

**Kichler East Haven in Black**

---

Front/Side/Rear Coach



High Ceiling



# Progress East Haven in Antique Bronze

---

Front/Side/Rear Coach



Ceiling



# Kichler Yorke in Black

---

Front/Side/Rear Coach



Low Ceiling



High Ceiling



# Kichler Royal Marine in Distressed Black

---

Front/Side/Rear Coac




Low Ceiling



High Ceiling





FRONT VIEW

SECTION

NOTE:

1. ALL FASTENERS AND HARDWARE TO BE HOT DIPPED GALVANIZED.
2. ATTACH BOTTOM AND TOP RAILS TO POSTS USING HOT DIPPED GALVANIZED SIMPSON STRONG TIE BRACKETS.

The approved fence for Reed's will now be Option 1B (from the Updated Design Guidelines) with one approved stain color being Sherwin Williams – Semi Transparent – Woodridge (SW 3504).

1B

CEDAR PRIVACY FENCE, OPTION 1B

SCALE: 1" = 3/8"